



APPARATUS CATALOG CODE BOOKS

K500 TELEPHONES SECTION A3

SEE ALSO TELEPHONES SECTION A27

Scanned from a current code book (July 1960) and an obsolete code book (April 1946) issued by the engineering department, Kellogg Switchboard and Supply Company. The information for each section from both books has been combined under the same heading in these PDF files. Since the books are not matched up as to date there will be some missing information, when researching an item be sure and look in both books' index for the section. The current code book index's also list all the obsolete items through 1960 whereas the obsolete book index's list only items through 1948. Some files also contain charts or other supporting information to aid the researcher.

ORIGINALLY IN THE COLLECTION OF CHARLES PLEASANCE AND FURNISHED FOR SCANNING BY KEITH CHESHIRE FROM HIS COLLECTION

Adobe Document Produced by Mike Neale, Member of
Antique Telephone Collectors Association US
Telephone Collectors International US
Telecom Heritage Group UK

www.kelloggtelephone.com

Adobe Document Copyright 2006, Mike Neale, Midland, Texas, USA



www.atcaonline.com



www.telephonecollectors.org



www.thg.org.uk

K-500 TELEPHONE SERIES

The following K-500 Telephone Codes are obsolete & rated "D" (Discontinued)
See Obsolete Code Book.

CODE NO.	REPLACED BY	CODE NO.	REPLACED BY
DK-500-HA(4)		MK-500-HA(4)	
DK-500-HA(5)		MK-500-HA(5)	
DK-500-HA(7)		MK-500-HA(7)	
DK-500-HB(4)		MK-500-HB(4)	
DK-500-HB(5)		MK-500-HB(5)	
DK-500-HB(7)		MK-500-HB(7)	
DK-500-HC(4)		MK-500-HC(4)	
DK-500-HC(5)		MK-500-HC(5)	
DK-500-HC(7)		MK-500-HC(7)	

K-500 TELEPHONE SERIES - INDEX

Stock Lists are grouped by telephone types as follows:

TYPE	DESCRIPTION	STOCK LIST
500(Desk)		202398
501(Desk)	With vacuum tube	202399
502(Desk)	with Exclusion Switch	202400
510(Desk)	with turn & push key	202401
530 (Desk)	Select-O-Phone	202402
531 (Desk)	Extension Select-O-Phone	202403
544 (Desk)	with 4 push button keys (For KIAI key tel. systems)	202404
550 (Wall)	Select-O-Phone	202405
551 (Wall)	Extension Select-O-Phone	202406
554 (Wall)		202407
564 (Desk)	with 6 push button keys (For KIAI key tel. systems)	202408
565 (Desk)	with 6 push button keys & exclusion switch (For KIAI key tel. systems)	202409
575 (Desk)	with two line pickup & hold	202752
591 (Desk)	Extension telephone (Less Ringer)	202410

Note: See page "A" for color coding procedure.

K-500 TELEPHONE SERIES-INDEX

Dial telephones							Manual telephones						
TYPE	COLOR	RINGER	PARTY	SPCL. FEATURE	DIAL	PAGE NO.	TYPE	COLOR	RINGER	PARTY	SPCL. FEATURE	DIAL	PAGE NO.
** - Available in colors (See Table, Page "A")													
500	00	HB	1-5	00	D	5	500	00	HB	1-5	00	N	6
500	**	HB	1-5	02	D	5	500	**	HB	1-5	02	N	6
500	00	HB	1-5	03	D	5	500	00	HB	1-5	03	N	6
500	**	HB	1-5	06	D	5	500	**	HB	1-5	06	N	6
500	00	HB	1-5	09	D	5							
500	00	HB	1-5	10	D	5							
500	**	HB	1-5	11	D	5	500	**	HB	1-5	11	N	6
500	**	HB	1-5	12	D	5							
500	00	HC	1-5	00	D	7	500	00	HC	1-5	00	N	8
500	**	HC	1-5	02	D	7	500	**	HC	1-5	02	N	8
500	00	HC	1-5	03	D	7	500	00	HC	1-5	03	N	8
500	**	HC	1-5	06	D	7	500	**	HC	1-5	06	N	8
							500	00	HC	1-5	08	N	8
500	00	HC	1-5	09	D	7							
500	00	HC	1-5	10	D	7							
500	**	HC	1-5	11	D	7	500	**	HC	1-5	11	N	8
500	**	HC	1-5	12	D	7							
501	00	BA	-	00	D	9	501	00	BA	-	00	N	9
501	**	BA	-	02	D	9	501	**	BA	-	02	N	9
501	00	BA	-	03	D	9	501	00	BA	-	03	N	9
501	**	BA	-	04	D	9	501	**	BA	-	04	N	9

K-500 TELEPHONE SERIES-INDEX

Dial Telephones							Manual Telephones						
TYPE	COLOR	RINGER	PARTY	SPCL. FEATURE	DIAL	PAGE NO.	TYPE	COLOR	RINGER	PARTY	SPCL. FEATURE	DIAL	PAGE NO.
** - Available in colors (See table, page "A")													
502	00	BA	-	00	D	10	502	00	BA	-	00	N	10
502	**	BA	-	02	D	10	502	**	BA	-	02	N	10
502	00	HA	1-5	00	D	11	502	00	HA	1-5	00	N	12
502	**	HA	1-5	02	D	11	502	**	HA	1-5	02	N	12
502	00	HA	1-5	03	D	11	502	00	HA	1-5	03	N	12
502	**	HA	1-5	04	D	11	502	**	HA	1-5	04	N	12
502	00	HB	1-5	00	D	13	502	00	HB	1-5	00	N	14
502	**	HB	1-5	02	D	13	502	**	HB	1-5	02	N	14
502	00	HB	1-5	03	D	13	502	00	HB	1-5	03	N	14
502	**	HB	1-5	04	D	13	502	**	HB	1-5	04	N	14
502	00	HC	1-5	00	D	15	502	00	HC	1-5	00	N	16
502	**	HC	1-5	02	D	15	502	**	HC	1-5	02	N	16
502	00	HC	1-5	03	D	15	502	00	HC	1-5	03	N	16
502	**	HC	1-5	04	D	15	502	**	HC	1-5	04	N	16

K-500 TELEPHONE SERIES-INDEX

Dial Telephones							Manual Telephones						
TYPE	COLOR	RINGER	PARTY	SPCL. FEATURE	DIAL	PAGE NO.	TYPE	COLOR	RINGER	PARTY	SPCL. FEATURE	DIAL	PAGE NO.
** - Available in colors (See table, page "A")													
502	00	LR	-	00	D	17	502	00	LR	-	00	N	17
502	**	LR	-	02	D	17	502	**	LR	-	02	N	17
510	00	BA	-	00	D	18	510	00	BA	-	00	N	18
510	**	BA	-	02	D	18	510	**	BA	-	02	N	18
510	00	BA	-	03	D	18	510	00	BA	-	03	N	18
510	**	BA	-	04	D	18	510	**	BA	-	04	N	18
510	00	HA	1-5	00	D	19	510	00	HA	1-5	00	N	19
510	**	HA	1-5	02	D	19	510	**	HA	1-5	02	N	19
510	00	HA	1-5	03	D	19	510	00	HA	1-5	03	N	19
510	**	HA	1-5	04	D	19	510	**	HA	1-5	04	N	19
510	00	HB	1-5	00	D	20	510	00	HB	1-5	00	N	20
510	**	HB	1-5	02	D	20	510	**	HB	1-5	02	N	20
510	00	HB	1-5	03	D	20	510	00	HB	1-5	03	N	20
510	**	HB	1-5	04	D	20	510	**	HB	1-5	04	N	20

K-500 TELEPHONE SERIES-INDEX

Dial Telephones							Manual Telephones						
TYPE	COLOR	RINGER	PARTY	SPCL. FEATURE	DIAL NO.	PAGE	TYPE	COLOR	RINGER	PARTY	SPCL. FEATURE	DIAL NO.	PAGE
** - Available in colors (See table, page "A")													
544	00	BA	-	00	D	35	544	00	BA	-	00	N	36
544	**	BA	-	02	D	35	544	**	BA	-	02	N	36
544	00	BA	-	03	D	35	544	00	BA	-	03	N	36
544	**	BA	-	04	D	35	544	**	BA	-	04	N	36
544	00	BA	-	05	D	35							
544	**	BA	-	06	D	35	544	**	BA	-	06	N	36
544	**	BA	-	07	D	35							
544	00	LR	-	00	D	37	544	00	LR	-	00	N	38
544	**	LR	-	02	D	37	544	**	LR	-	02	N	38
544	00	LR	-	03	D	37	544	00	LR	-	03	N	38
544	**	LR	-	04	D	37	544	**	LR	-	04	N	38
544	00	LR	-	05	D	37							
544	**	LR	-	06	D	37	544	**	LR	-	06	N	38
544	**	LR	-	07	D	37							
550	**	B	-	02	D	34							
550	**	B	-	03	D	34							

K-500 TELEPHONE SERIES-INDEX

Dial Telephones							Manual Telephones						
TYPE	COLOR	RINGER	PARTY	SPCL. FEATURE	DIAL	PAGE NO.	TYPE	COLOR	RINGER	PARTY	SPCL. FEATURE	DIAL	PAGE NO.
** - Available in colors (See table, page "A")													
551	**	B	-	02	D	34							
551	**	B	-	03	D	34							
554	00	BA	-	00	D	23	554	00	BA	-	00	N	23B
554	**	BA	-	02	D	23	554	**	BA	-	02	N	23B
554	00	BA	-	03	D	23							
554	00	BA	-	04	D	23							
554	00	BA	-	05	D	23							
554	**	BA	-	06	D	23							
554	00	BA	-	07	D	23							
554	**	BA	-	08	D	23							
554	00	BA	-	09	D	23							
554	**	BA	-	10	D	23							
554	**	BA	-	11	D	23							
554	00	HA	1-5	00	D	25	554	00	HA	1-5	00	N	26
554	**	HA	1-5	02	D	25	554	**	HA	1-5	02	N	26
554	00	HA	1-5	03	D	25	554	00	HA	1-5	03	N	26
554	**	HA	1-5	05	D	25							
554	**	HA	1-5	06	D	25	554	**	HA	1-5	06	N	26

K-500 TELEPHONE SERIES-INDEX

Dial Telephones							Manual Telephones						
TYPE	COLOR	RINGER	PARTY	SPCL. FEATURE	DIAL	PAGE NO.	TYPE	COLOR	RINGER	PARTY	SPCL. FEATURE	DIAL	PAGE NO.
** - Available in colors (See table, page "A")													
554	00	HB	1-5	00	D	27	554	00	HB	1-5	00	N	28
554	**	HB	1-5	02	D	27	554	**	HB	1-5	02	N	28
554	00	HB	1-5	03	D	27	554	00	HB	1-5	03	N	28
554	**	HB	1-5	05	D	27							
554	**	HB	1-5	06	D	27	554	**	HB	1-5	06	N	28
554	00	HC	1-5	00	D	29	554	00	HC	1-5	00	N	30
554	**	HC	1-5	02	D	29	554	**	HC	1-5	02	N	30
554	00	HC	1-5	03	D	29	554	00	HC	1-5	03	N	30
							554	00	HC	1-5	04	N	30
554	**	HC	1-5	05	D	29							
554	**	HC	1-5	06	D	29	554	**	HC	1-5	06	N	30
554	00	LR	-	00	D	24	554	00	LR	-	00	N	24
554	**	LR	-	02	D	24	554	**	LR	-	02	N	24
554	00	LR	-	03	D	24							
554	**	LR	-	04	D	24							

K-500 TELEPHONE SERIES - INDEX

Dial Telephones							Manual Telephones						
TYPE	COLOR	RINGER	PARTY	SPCL. FEATURE	DIAL	PAGE NO.	TYPE	COLOR	RINGER	PARTY	SPCL. FEATURE	DIAL	PAGE NO.
** - Available in colors. (See table, page "A")													
564	00	BA	-	00	D	39	564	00	BA	-	00	N	40
564	**	BA	-	02	D	39	564	**	BA	-	02	N	40
564	00	BA	-	03	D	39	564	00	BA	-	03	N	40
564	**	BA	-	04	D	39	564	**	BA	-	04	N	40
564	00	BA	-	05	D	39							
564	**	BA	-	06	D	39	564	**	BA	-	06	N	40
564	**	BA	-	07	D	39							
564	00	LR	-	00	D	41	564	00	LR	-	00	N	42
564	**	LR	-	02	D	41	564	**	LR	-	02	N	42
564	00	LR	-	03	D	41	564	00	LR	-	03	N	42
564	**	LR	-	04	D	41	564	**	LR	-	04	N	42
564	00	LR	-	05	D	41							
564	**	LR	-	06	D	41	564	**	LR	-	06	N	42
564	**	LR	-	07	D	41							
565	00	BA	-	00	D	43	565	00	BA	-	00	N	44
565	**	BA	-	02	D	43	565	**	BA	-	02	N	44
565	00	BA	-	03	D	43	565	00	BA	-	03	N	44
565	**	BA	-	04	D	43	565	**	BA	-	04	N	44
565	**	BA	-	06	D	43	565	**	BA	-	06	N	44

K-500 TELEPHONE SERIES - INDEX


Dial telephones							Manual Telephones						
TYPE	COLOR	RINGER	PARTY	SPCL. FEATURE	DIAL	PAGE NO.	TYPE	COLOR	RINGER	PARTY	SPCL. FEATURE	DIAL	PAGE NO.
** - Available in colors (See table, page "A")													
565	00	LR	-	00	D	45	565	00	LR	-	00	N	46
565	**	LR	-	02	D	45	565	**	LR	-	02	N	46
565	00	LR	-	03	D	45	565	00	LR	-	03	N	46
565	**	LR	-	04	D	45	565	**	LR	-	04	N	46
565	**	LR	-	06	D	45	565	**	LR	-	06	N	46
575	00	BA	-	00	D	47	575	00	BA	-	00	N	47
575	**	BA	-	02	D	47	575	**	BA	-	02	N	47
575	00	BA	-	03	D	47	575	00	BA	-	03	N	47
575	**	BA	-	04	D	47	575	**	BA	-	04	N	47
575	00	HA	1-5	00	D	48	575	00	HA	1-5	00	N	49
575	**	HA	1-5	02	D	48	575	**	HA	1-5	02	N	49
575	00	HA	1-5	03	D	48	575	00	HA	1-5	03	N	49
575	**	HA	1-5	04	D	48	575	**	HA	1-5	04	N	49
575	00	HA	1-5	05	D	48	575	00	HA	1-5	05	N	49
575	**	HA	1-5	06	D	48	575	**	HA	1-5	06	N	49
575	00	HA	1-5	07	D	48	575	00	HA	1-5	07	N	49
575	**	HA	1-5	08	D	48	575	**	HA	1-5	08	N	49

COLOR CODING PROCEDURE & AVAILABLE COLORS

1. Telephone codes which include asterisks "***" are available in all colors listed in the table below.

For example:


If a 500**(HA3)02D telephone is required in "red"
the code number shall be specified as



COLOR CODE	AVAILABLE COLORS
00	Black
02	Red
03	Brown
04	Yellow
05	Green
06	Blue
07	Beige
08	Gray
09	Ivory
10	Turquoise
11	Rose Pink
12	Aqua Blue
13	Light Beige
14	Light Gray
15	White
16	
17	
18	
19	
20	
21	
22	
23	
24	

2. The above color table will be extended as required on assignment of new codes.
3. All telephone codes which do not include asterisks "***" are available in "Black" only and shall be specified as shown below:

For example:



500 TYPE TELEPHONES

(DESK TYPE)

Dial telephones.

See Index page 1 for stocklist drg. no.

CODE NO.	REMARKS AND SPECIAL FEATURES	DIAL	RINGER	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM DRG.
50000(BA)00D	Ringer volume control.	1900(G)450	130(BA)470	303100(06)650	6500(C)410.	21531	200708
500**(BA)02D	Ringer Volume control. Coiled cord.	19**(G)450	"	3031**(06)650	65**(C2)410	"	"
50000(BA)03D	Indent. on base "Property of Puerto Rico Tel. Co." Tropicalized. Ringer vol. control.	1900(D)450	"	303100(06)650	6500(C)410	21533	"
50000(BA)04D	Indent. on base "Property of Cuban Tel. Co." in Spanish. Coiled cord. Ringer volume control.	"	"	"	6500(C2)410	21533	"
50000(BA)05D	Indent. on base "Property of Cuban Tel. Co." in Spanish. Push button. Coiled cord. Ringer volume control.	"	"	"	"	21539	201421
500**(BA)06D	Indent. on base "Property of Puerto Rico Tel. Co." Tropicalized. Coiled cord. Ringer volume control.	19**(D)450	"	3031**(06)650	65**(C2)410	21533	200708
500**(BA)07D	Ringer volume control. Push button. Coiled cord.	19**(G)450	"	"	"	21542	201421
50000(BA)08D	Ringer volume control. Push button.	1900(G)450	"	303100(06)650	6500(C)410	"	"
50000(BA)09D	Lift-to-talk. Ringer volume control.	"	"	"	"	21551	201571
50000(BA)10D	Indent. on base "Property of Puerto Rico Tel. Co." Tropicalized. Push button. Ringer volume control.	1900(D)450	"	"	"	21539	201421
50000(BA)11D	Dial light. 6-cond. desk stand cord. Ringer volume control.	1900(1G)450	"	304400(14)650	"	21550	201893
50002(BA)12D to 50015(BA)12D	Available in color only. 79857 push-key assembly. Coiled cord. Ringer volume control. Used with 14()851 Repeater.	1902(D)450 to 1915(D)450	" to "	303102(06)650 to 303115(06)650	6502(C2)410 to 6515(C2)410	21556	201951
50000(BA)13D	Ringer volume control.	1900(D)450	"	303100(06)650	6500(C)410	21531	200708
500**(BA)14D	Ringer volume control. Coiled cord.	19**(D)450	"	3031**(06)650	65**(C2)410	"	"
500**(BA)15D	Ringer volume control. Coiled cord. Lift-to-talk.	19**(G)450	"	"	"	21551	201571

** - Available in full line of colors. See page "A" for color coding procedure and color chart.

3/16/59

PAGE 1

500 TYPE TELEPHONES

(DESK TYPE)

Dial Telephones.

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	DIAL	RINGER	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM. DRG.
50000(BA)16D	Ringer volume control. 79467 terminal board assembly. 79468 mounting plate. Used with dial "9" intercom system.	1900(D)450	130(BA)470	303800(13)650	6500(C)410	21569	201571
500**(BA)17D	Ringer vol. control. 79467 terminal board assembly. 79468 mounting plate. Used with dial "9" intercom system. Coiled cord.	19**(D)450	130(BA)470	3038**(13)650	65**(C2)410	"	"
500**(BA)18D	Dial light, night light. Ringer volume control. Coiled cord.	1900(1G)450 19**(G)450	"	"	"	21574	201893

** - Available in full line of colors. See page "A" for color coding procedure and color chart.

500 TYPE TELEPHONES

(DESK TYPE)

Manual telephones.

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	RINGER	DESK STAND CORD	HANDSET	CKT. DRG.	ASSM. DRG.
50000(BA)00N	Ringer volume control.	130(BA)470	303100(06)650	6500(C)410	21531	200708
500**(BA)02N	Ringer volume control. Coiled cord.	"	3031**(06)650	65**(C2)410	"	"
50000(BA)03N	Indent. on base "Property of Puerto Rico Tel. Co." Tropicalized. Ringer volume control.	"	303100(06)650	6500(C)410	21533	"
500**(BA)06N	Indent. on base "Property of Puerto Rico Tel. Co." Tropicalized. Coiled cord. Ringer volume control.	"	3031**(06)650	65**(C2)410	"	"
50000(BA)09N	Lift-to-talk. Ringer volume control.	130(BA)470	303100(06)650	6500(C)410	21551	201571
500**(BA)15N	Ringer volume control. Coiled cord. Lift-to-talk.	130(BA)470	3031**(06)650	65**(C2)410	21551	201571
500**(BA)18N	Night light. Ringer volume control. Coiled cord.	130(BA)470	3038**(13)650	65**(C2)410	21574	201893

** - Available in full line of colors. See page "A" for color coding procedure and color chart.

3/16/59

PAGE 2.

500 TYPE TELEPHONES

(DESK TYPE)

Dial telephones.

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	DIAL	RINGER	DESK STAND CORD.	HANDSET	CKT. DRG.	ASSEM. DRG.
50000(HA1 to 5)00D	Ringer volume control.	1900(G)450	131(HA 1 to 5)470	303100(06)650	6500(C)410	21531	200708
500**(HA1 to 5)02D	Ringer volume control. Coiled cord.	19**(G)450	"	3031**(06)650	65**(C2)410	"	"
50000(HA1 to 5)03D		1900(G)450	133(HA1 to 5)470	303100(06)650	6500(C)410	"	"
500**(HA1 to 5)06D	Coiled cord.	19**(G)450	"	3031**(06)650	65**(C2)410	"	"
50000(HA1 to 5)09D	Lift-to-talk. Ringer volume control.	1900(G)450	E131(HA1,2,3)470 &131(HA4,5)470	303100(06)650	6500(C)410	21531	201571
50000(HA1 to 5)10D	Lift-to-talk. Coiled cord.	"	E133(HA1,2,3)470 &133(HA4,5)470	"	6500(C2)410	21551	"
500**(HA1 to 5)11D	Dial light, night light. Ringer volume control. coiled cord.	1900(1G)450 19**(G)450	131(HA1 to 5)470	3038**(13)650	65**(C2)410	21575	201893
500**(HA1 to 5)12D	Indent. on base "Property of Puerto Rico Tel. Co." Tropicalized ringer vol. control. Coiled cord.	19**(D)450	"	3031**(06)650	"	21533	200708

** - Available in full line of colors. See page "A" for color coding procedure and color chart.

3/16/59

PAGE 3

500 TYPE TELEPHONES

(DESK TYPE)

Manual telephones.

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	RINGER	DESK STAND CORD.	HANDSET	CKT. DRG.	ASSEM. DRG.
50000(HAL to 5)00N	Ringer volume control.	131(HAL to 5)470	303100(06)650	6500(C)410	21531	200708
500**(HAL to 5)02N	Ringer volume control. Coiled cord.	"	3031**(06)650	65**(C2)410	"	"
50000(HAL to 5)03N		133(HAL to 5)470	303100(06)650	6500(C)410	"	"
500**(HAL to 5)06N	Coiled cord.	"	3031**(06)650	65**(C2)410	"	"
500**(HAL to 5)11N	Night light. Ringer volume control. Coiled cord.	131(HAL to 5)470	3038**(13)650	65**(C2)410	21575	201893

** - Available in full line of colors. See page "A" for color coding procedure and color chart.

PAGE 4

500 TYPE TELEPHONES

(DESK TYPE)

Dial telephones.

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	DIAL	RINGER	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM. DRG.
50000(HB1 to 5)00D	Ringer volume control.	1900(G)450	131(HB1 to 5)470	303100(06)650	6500(C)410	21531	200708
500**(HB1 to 5)02D	Ringer volume control. Coiled cord.	19**(G)450	131(HB1 to 5)470	3031**(06)650	65**(C2)410	"	"
50000(HB1 to 5)03D		1900(G)450	133(HB1 to 5)470	303100(06)650	6500(C)410	"	"
500**(HB1 to 5)06D	Coiled cord.	19**(G)450	"	3031**(06)650	65**(C2)410	"	201571
50000(HB1 to 5)09D	Lift-to-talk switch. Ringer volume control.	1900(G)450	131(HB1,5)470 & E131(HB2,3,4)470	303100(06)650	6500(C)410	21531	201571
50000(HB1 to 5)10D	Lift-to-talk switch. Coiled cord.	1900(G)450	133(HB1,5)470 & E133(HB2,3,4)470	"	6500(C2)410	21551	"
500**(HB1 to 5)11D	Dial light, night light. Ringer volume control. Coiled cord.	1900(1G)450 19**(G)450	131(HB1 to 5)470	3038**(13)650	65**(C2)410	21575	201893
500**(HB1 to 5)12D	Indent. on base "Property of Puerto Rico Tel. Co." Tropicalized. Ringer vol. control. coiled	19**(D)450 cord.)	"	3031**(06)650	"	21533	200708

** - Available in full line of colors. See Page "A" for color coding procedure and color chart.

500 TYPE TELEPHONES

(DESK TYPE)

Manual telephones.

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	RINGER	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM. DRG.
50000(HB1 to 5)00N	Ringer volume control.	131(HB1 to 5)470	303100(06)650	6500(C)410	21531	200708
500**(HB1 to 5)02N	Ringer volume control. Coiled cord.	"	3031**(06)650	65**(C2)410	"	"
50000(HB1 to 5)03N		133(HB1 to 5)470	303100(06)650	6500(C)410	"	"
500**(HB1 to 5)06N	Coiled cord.	"	3031**(06)650	65**(C2)410	"	"
500**(HB1 to 5)11N	Night light. Ringer volume control. Coiled cord.	131(HB1 to 5)470	3038**(13)650	65**(C2)410	21575	201893

** - Available in full line of colors. See page "A" for color coding procedure and color chart.

500 TYPE TELEPHONES

(DESK TYPE)

Dial telephones.

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	DIAL	RINGER	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM. DRG.
50000(HC1 to 5)00D	Ringer volume control.	1900(G)450	131(HC1 to 5)470	303100(06)650	6500(C)410	21531	200708
500**(HC1 to 5)02B	Ringer volume control. Coiled cord.	19**(G)450	"	3031**(06)650	65**(C2)410	"	"
50000(HC1 to 5)03D		1900(G)450	133(HC1 to 5)470	303100(06)650	6500(C)410	"	"
500**(HC1 to 5)06D	Coiled cord.	19**(G)450	"	3031**(06)650	65**(C2)410	"	"
50000(HC1 to 5)09D	Lift-to-talk. Ringer volume Control.	1900(G)450	131(HC1,3)470 & E131(HC2,4,5)470	303100(06)650	6500(C)650	21531	201571
50000(HC1 to 5)10D	Lift-to-talk. Coiled cord.	"	133(HC1,3)470 & E133(HC2,4,5)470	"	6500(C2)410	21551	201571
500**(HC1 to 5)11D	Dial light, night light. Ringer volume control. coiled cord.	1900(LG)450 19**(G)450	131(HC1 to 5)470	3038**(13)650	65**(C2)410	21575	201893
500**(HC1 to 5)12D	Indent. on base "Property of Puerto Rico Tel.Co." Tropicalized. Ringer vol. control. Coiled Cord.	19**(D)450	"	3031**(06)650	"	21533	200708

** - Available in full line of colors. See page "A" for color coding procedure and color chart.

500 TYPE, TELEPHONES

(DESK TYPE)

Manual telephones.

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	RINGER	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM. DRG.
50000(HC1 to 5)00N	Ringer volume control.	131(HC1 to 5)470	303100(06)650	6500(C)410	21531	200708
500**(HC1 to 5)02N	Ringer volume control. Coiled cord.	"	3031**(06)650	65**(C2)410	"	"
50000(HC1 to 5)03N		133(HC1 to 5)470	303100(06)650	6500(C)410	"	"
500**(HC1 to 5)06N	Coiled cord.	"	3031**(06)650	65**(C2)410	"	"
50000(HC1 to 5)08N	Indent. on base plate "Property of Puerto Rico Tel. Co." Tropicalized.	"	303100(06)650	6500(C)410	21533	"
500**(HC1 to 5)11N	Night light. Ringer volume control. Coiled cord.	131(HC1 to 5)470	3038**(13)650	65**(C2)410	21575	201893

** - Available in full line of colors. See Page "A" for color coding procedure and color chart.

3/16/59

501 TYPE TELEPHONES

(DESK TYPE)

Dial telephones.

See index page 1 for stocklist drg. no.

CODE	REMARKS & SPECIAL FEATURES	DIAL	RINGER	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM. DRG.
50100(BA)00D	Ringer volume control. Vacuum tube.	1900(G)450	130(BA)470	303100(06)650	6500(C)410	21535	200708
501**(BA)02D	Ringer volume control. Vacuum tube. Coiled cord.	19**(G)450	"	3031**(06)650	65**(C2)410	"	"
50100(BA)03D	Ringer volume control. Vacuum tube. Lift-to-talk.	1900(G)450	"	303100(06)650	6500(C)410	21549	201571
501**(BA)04D	Ringer volume control. Vacuum tube. Lift- to-talk. Coiled cord.	19**(G)450	"	3031**(06)650	65**(C2)410	"	"

Manual telephones.

50100(BA)00N	Ringer volume control. Vacuum tube.	-	130(BA)470	303100(06)650	6500(C)410	21535	200708
501**(BA)02N	Ringer volume control. Vacuum tube. Coiled cord.	-	"	3031**(06)650	65**(C2)410	"	"
50100(BA)03N	Ringer volume control. Vacuum tube. Lift-to-talk.	-	"	303100(06)650	6500(C)410	21549	201571
501**(BA)04N	Ringer volume control. Vacuum tube. Lift-to-talk. Coiled cord.	-	"	3031**(06)650	65**(C2)410	"	"

** - Available in full line of colors. See page "A" for color procedure and color chart.

PAGE 9

502 TYPE TELEPHONES

(DESK TYPE)

Dial telephones.

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	DIAL	RINGER	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM. DRG.
50200(BA)00D	Ringer volume control. Exclusion switch. 6-cond. desk stand cord.	1900(G)450	130(BA)470	304400(14)650	6500(C)410	21548	201571
502**(BA)02D	Ringer volume control. Exclusion switch. 6-cond. desk stand cord. Coiled cord.	19**(G)450	"	"	65**(C2)410	"	"

Manual telephones.

50200(BA)00N	Ringer volume control. Exclusion switch. 6-cond. desk stand cord.	-	130(BA)470	304400(14)650	6500(C)410	21548	201571
502**(BA)02N	Ringer volume control. Exclusion switch. 6-cond. desk stand cord. Coiled cord.	-	"	"	65**(C2)410	"	"

** - Available in full line of colors. See Page "A" for color coding procedure and color chart.

502 TYPE TELEPHONES

(DESK TYPE)

Dial telephones.

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	DIAL	RINGER	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM. DRG.
50200(HA1 to 5)00D	Exclusion switch. 6-cond. desk stand cord. Ringer volume control.	1900(G)450	E131(HA1,2,3)470 & 131(HA4,5)470	304400(14)650	6500(C)410	21563	201571
502**(HA1 to 5)02D	Exclusion switch. 6-cond. desk stand cord. Ringer volume control. Coiled cord.	19**(G)450	"	"	65**(C2)410	"	"
50200(HA1 to 5)03D	Exclusion switch. 6-cond. desk stand cord.	1900(G)450	E133(HA1,2,3)470 & 133(HA4,5)470	"	6500(C)410	"	"
502**(HA1 to 5)04D	Exclusion switch. 6-cond. desk stand cord. Coiled cord.	19**(G)450	"	"	65**(C2)410	"	"

** = Available in full line of colors. See Page "A" for color coding procedure and color chart.

502 TYPE TELEPHONES

(DESK TYPE)

Manual telephones.

See index page I for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	RINGER	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM. DRG.
50200(HA1 to 5)00N	Exclusion switch. 6-cond. desk stand cord. Ringer volume control.	E131(HA1,2,3)470 & 131(HA4,5)470	304400(14)650	5600(C)410	21563	201571
502**(HA1 to 5)02N	Exclusion switch. 6-cond. desk stand cord. Ringer volume control. Coiled cord.	"	"	65**(C2)410	"	"
50200(HA1 to 5)03N	Exclusion switch. 6-cond. desk stand cord.	E133(HA1,2,3)470 & 133(HA4,5)470	"	6500(C)410	"	"
502**(HA1 to 5)04N	Exclusion switch. 6-cond. desk stand cord. Coiled cord.	"	"	65**(C2)410	"	"

** = Available in full line of colors. See Page "A" for color coding procedure and color chart.

502 TYPE TELEPHONES

(DESK TYPE)

Dial telephones

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	DIAL	RINGER	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM. DRG.
50200(HB1 to 5)00D	Exclusion switch. 6-cond. desk stand cord. Ringer volume cont.	1900(G)450	E131(HB2,3,4)470 & 131(HB1,5)470	304400(14)650	6500(C)410	21563	201571
502**(HB1 to 5)02D	Exclusion switch. 6-cond. desk stand cord. Ringer volume cont. Coiled cord.	19**(G)450	"	"	65**(C2)410	"	"
50200(HB1 to 5)03D	Exclusion switch. 6-cond. desk stand cord.	1900(G)450	E133(HB2,3,4)470 & 133(HB1,5)470	"	6500(C)410	"	"
502**(HB1 to 5)04D	Exclusion switch. 6-cond. desk stand cord. Coiled cord.	19**(G)450	"	"	65**(C2)410	"	"

** = Available in full line of colors. See Page "A" for color coding procedure and color chart.

502 TYPE TELEPHONES

(DESK TYPE)

Manual telephones.

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	RINGER	DESK STAND CORD	HANDSET	CKT DRG.	ASSEM. DRG.
50200(HB1 to 5)00N	Exclusion switch. 6-cond. desk stand cord. Ringer volume control.	E131(HB2,3,4)470 & 131(HB1,5)470	304400(14)650	6500(C)410	21563	201571
502**(HB1 to 5)02N	Exclusion switch. 6-cond. desk stand cord. Ringer volume control. Coiled cord.	"	"	65**(C2)410	"	"
50200(HB1 to 5)03N	Exclusion switch. 6-cond. desk stand cord.	E133(HB2,3,4)470 & 133(HB1,5)470	"	6500(C)410	"	"
502**(HB1 to 5)04N	Exclusion switch. 6-cond. desk stand cord. Coiled cord.	"	"	65**(C2)410	"	"

** = Available in full line of colors. See Page "A" for color coding procedure and color chart.

502 TYPE TELEPHONES

(DESK TYPE)

Dial telephones.

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	DIAL	RINGER	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM. DRG.
50200(HC1 to 5)00D	Exclusion switch. 6-cond. desk stand cord. Ringer volume control.	1900(G)450	E131(HC2,4,5)470 & 131(HC1,3)470	304400(14)650	6500(C)410	21563	201571
502**(HC1 to 5)02D	Exclusion switch. 6-cond. desk stand cord. Ringer volume control. Coiled cord.	19**(G)450	"	"	65**(C2)410	"	"
50200(HC1 to 5)03D	Exclusion switch. 6-cond. desk stand cord.	1900(G)450	E133(HC2,4,5)470 & 133(HC1,3)470	"	6500(C)410	"	"
502**(HC1 to 5)04D	Exclusion switch. 6-cond. desk stand cord. Coiled cord.	19**(G)450	"	"	65**(C2)410	"	"

** = Available in full line of colors. See Page "A" for color coding procedure and color chart.

502 TYPE TELEPHONES

(DESK TYPE)

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	RINGER	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM. DRG.
50200(HC1 to 5)00N	Exclusion switch. 6-cond. desk stand cord. Ringer volume control	E131(HC2,4,5)470 & 131(HC1,3)470	304400(14)650	6500(C)410	21563	201571
502**(HC1 to 5)02N	Exclusion switch. 6-cond. desk stand cord. Ringer volume control. Coiled cord.	"	"	65**(C2)410	"	"
50200(HC1 to 5)03N	Exclusion switch. 6-cond. desk stand cord.	E133(HC2,4,5)470 & 133(HC1,3)470	"	6500(C)410	"	"
502**(HC1 to 5)04N	Exclusion switch. 6-cond. desk stand cord. Coiled cord.	"	"	65**(C2)410	"	"

502 TYPE TELEPHONES

(DESK TYPE)

Dial telephones less ringer.

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	DIAL	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM. DRG.
50200(LR)00D	Exclusion switch. 6-cond. desk stand cord.	1900(G)450	304400(14)650	6500(C)410	21548	201571
502**(LR)02D	Exclusion switch. 6-cond. desk stand cord. Coiled cord.	19**(G)450	"	65**(C2)410	"	"

Manual telephones less ringer.

50200(LR)00N	Exclusion switch. 6-cond. desk stand cord.	-	304400(14)650	6500(C)410	21548	201571
502**(LR)02N	Exclusion switch. 6-cond. desk stand cord. Coiled cord.	-	"	65**(C2)410	"	"

** - Available in full line of colors. See page "A" for color coding procedure and color chart.

510 TYPE TELEPHONES

(DESK TYPE)

Dial telephones.

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	DIAL	RINGER	DESK STAND CORD.	HANDSET	CKT. DRG.	ASSEM. DRG.
51000(BA)00D	Turn-key. 4-cond. desk stand cord. Ringer volume control.	1900(G)450	130(BA)470	303800(13)650	6500(C)410	21543	201516
510**(BA)02D	Turn-key. 4-cond. desk stand cord. Coiled cord. Ringer volume control.	19**(G)450	"	3038**(13)650	65**(C2)410	"	"
51000(BA)03D	Turn-key. 6-cond. desk stand cord. Ringer volume control.	1900(G)450	"	304400(14)650	6500(C)410	"	"
510**(BA)04D	Turn-key. 6-cond. desk stand cord. Ringer volume control. Coiled cord.	19**(G)450	"	"	65**(C2)410	"	"

Manual telephones.

51000(BA)00N	Turn-key. 4-cond. desk stand cord. Ringer volume control.	-	130(BA)470	303800(13)650	6500(C)410	21543	201516
510**(BA)02N	Turn-key. 4-cond. desk stand cord. Coiled cord. Ringer volume control.	-	"	3038**(13)650	65**(C2)410	"	"
51000(BA)03N	Turn-key. 6-cond. desk stand cord. Ringer volume control.	-	"	304400(14)650	6500(C)410	"	"
510**(BA)04N	Turn-key. 6-cond. desk stand cord. Ringer Volume control. Coiled cord.	-	"	"	65**(C2)410	"	"

** - Available in full line of colors. See Page "A" for color coding procedure and color charts.

PAGE 18

510 TYPE TELEPHONES

(DESK TYPE)

Dial telephones

See index page 1 for stocklist drg. no.

CDDE NO.	REMARKS & SPECIAL FEATURES	DIAL	RINGER	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM. DRG.
51000(HA1 to 5)00D	Turn-key. 4-cond. desk stand cord. Ringer volume control.	1900(G)450	131(HA1 to 5)470	303800(13)650	6500(C)410	21564	201516
510**(HA1 to 5)02D	Turn-key. 4-cond. desk stand cord. Ringer volume control. Coiled cord.	19**(G)450	"	3038**(13)650	65**(C2)410	"	"
51000(HA1 to 5)03D	Turn-key. 4-cond. desk stand cord.	1900(G)450	133(HA1 to 5)470	303800(13)650	6500(C)410	"	"
510**(HA1 to 5)04D	Turn-key. 4-cond. desk stand cord. Coiled cord.	19**(G)450	"	3038**(13)650	65**(C2)410	"	"

Manual telephones.

51000(HA1 to 5)00N	Turn-key. 4-cond. desk stand cord. Ringer volume control.	-	131(HA1 to 5)470	303800(13)650	6500(C)410	21564	201516
510**(HA1 to 5)02N	Turn-key. 4-cond. desk stand cord. Ringer volume control. Coiled cord.	-	"	3038**(13)650	65**(C2)410	"	"
51000(HA1 to 5)03N	Turn-key. 4-cond. desk stand cord.	-	133(HA1 to 5)470	303800(13)650	6500(C)410	"	"
510**(HA1 to 5)04N	Turn-key. 4-cond. desk stand cord. Coiled cord.	-	"	3038**(13)650	65**(C2)410	"	"

** - Available in full line of colors. See Page "A" for color coding procedure and color chart.

510 TYPE TELEPHONES

(DESK TYPE)

Dial telephones.

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	DIAL	RINGER	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM. DRG.
51000(HBL to 5)00D	Turn-key. 4-cond. desk stand cord. Ringer volume control.	1900(G)450	131(HBL to 5)470	303800(13)650	6500(C)410	21564	201516
510**(HBL to 5)02D	Turn-key. 4-cond. desk stand cord. Ringer volume control. Coiled cord.	19**(G)450	"	3038**(13)650	65**(C2)410	"	"
51000(HBL to 5)03D	Turn-key. 4-cond. desk stand cord.	1900(G)450	133(HBL to 5)470	303800(13)650	6500(C)410	"	"
510**(HBL to 5)04D	Turn-key. 4-cond. desk stand cord. Coiled cord.	19**(G)450	"	3038**(13)650	65**(C2)410	"	"

Manual telephones.

51000(HBL to 5)00N	Turn-key. 4-cond. desk stand cord. Ringer volume control.	-	131(HBL to 5)470	303800(13)650	6500(C)410	21564	201516
510**(HBL to 5)02N	Turn-key. 4-cond. desk stand cord. Ringer volume control. Coiled cord.	-	"	3038**(13)650	65**(C2)410	"	"
51000(HBL to 5)03N	Turn-key. 4-cond. desk stand cord.	-	133(HBL to 5)470	303800(13)650	6500(C)410	"	"
510**(HBL to 5)04N	Turn-key. 4-cond. desk stand cord. Coiled cord.	-	"	3038**(13)650	65**(C2)410	"	"

** - Available in full line of colors. See page "A" for color coding procedure and color chart.

510 TYPE TELEPHONES

(DESK TYPE)

Dial telephones.

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	DIAL	RINGER	DESK STAND CORD.	HANDSET	CKT. DRG.	ASSEM. DRG.
51000(HC1 to 5)00D	Turn-key. 4-cond. desk stand cord. Ringer volume control.	1900(G)450	131(HC1 to 5)470	303800(13)650	6500(C)410	21564	201516
510**(HC1 to 5)02D	Turn-key. 4-cond. desk stand cord. Ringer vol. control. Coiled Cd.	19**(G)450	"	3038**(13)650	65**(C2)410	"	"
51000(HC1 to 5)03D	Turn-key. 4-cond. desk stand cord.	1900(G)450	133(HC1 to 5)470	303800(13)650	6500(C)410	"	"
510**(HC1 to 5)04D	Turn-key. 4-cond. desk stand cord. Coiled cord.	19**(G)450	"	3038**(13)650	65**(C2)410	"	"

Manual telephones.

51000(HC1 to 5)00N	Turn-key. 4-cond. desk stand cord. Ringer volume control.	-	131(HC1 to 5)470	303800(13)650	6500(C)410	21564	201516
510**(HC1 to 5)02N	Turn-key. 4-cond. desk stand cord. Ringer vol. control. coiled cord.	-	"	3038**(13)650	65**(C2)410	"	"
51000(HC1 to 5)03N	Turn-key. 4-cond. desk stand cord.	-	133(HC1 to 5)470	303800(13)650	6500(C)410	"	"
510**(HC1 to 5)04N	Turn-key. 4-cond. desk stand cord. Coiled cord.	-	"	3038**(13)650	65**(C2)410	"	"

** - Available in full line of colors. See page "A" for color coding procedure and color chart.

3/16/59

PAGE 21

510 TYPE TELEPHONES

(DESK TYPE)

Dial telephones less ringer.

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	DIAL	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM. DRG.
51000(LR)00D	Turn-key. 4-cond. desk stand cord.	1900(G)450	303800(13)650	6500(C)410	21543	201516
510**(LR)02D	Turn-key. 4-cond. desk stand cord. Coiled cord.	19**(G)450	3038**(13)650	65**(C2)410	"	"

Manual telephones less ringer.

51000(LR)00N	Turn-key. 4-cond. desk stand cord.	-	303800(13)650	6500(C)410	21543	201516
510**(LR)02N	Turn-key. 4-cond. desk stand cord. Coiled cord.	-	3038**(13)650	65**(C2)410	"	"

** - Available in full line of colors. See page "A" for color coding procedure and color chart.

554 TYPE TELEPHONES

(WALL TYPE)

Dial telephones.

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	DIAL	RINGER	HANDBET	CKT. DRG.	ASSEM. DRG.
55400(BA)00D	Ringer volume control.	1900(G)450	130(BA)470	6500(C)410	21531	201460
554**(BA)02D	Ringer volume control. Coiled cord.	19**(G)450	"	65**(C2)410	"	"
55400(BA)03D	Ringer volume control. Vacuum tube.	1900(G)450	"	6500(C)410	21535	"
55400(BA)04D	Indent. on base "Property of Puerto Rico Telephone Co." Tropicalized. Ringer volume control.	1900(D)450	"	"	21533	"
55400(BA)05D	Ringer volume control. Coiled cord. Vacuum tube.	1900(G)450	"	6500(C2)410	21535	"
554**(BA)06D	Ringer volume control. Coiled cord. P-79857 push key assembly.	19**(D)450	"	65**(C2)410	21556	202431
55400(BA)07D	Ringer volume control.	1900(D)450	"	6500(C)410	21531	201460
554**(BA)08D	Ringer volume control. Coiled cord.	19**(D)450	"	65**(C2)410	"	"
55400(BA)09D	Ringer volume control. 1-79467 terminal board assembly. 1-79468 mounting plate. Used with dial "9" intercom system.	1900(D)450	"	6500(C)410	21569	"
554**(BA)10D	Ringer volume control. 1-79467 terminal board assembly. 1-79468 mounting plate. Used with dial "9" intercom system. Coiled cord.	19**(D)450	"	65**(C2)410	"	"
554**(BA)11D	Indent. on base "Property of Puerto Rico Tel. Co." Tropicalized. Ringer vol. control. Coiled cord.	"	"	"	21533	201460

** - Available in full line of colors. See page "A" for color coding procedure and color chart.

554 TYPE TELEPHONES

(WALL TYPE)

Dial telephones.

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	DIAL	RINGER	HANDSET	CKT. DRG.	ASSEM. DRG.

** - Available in full line of colors. See page "A" for color coding procedure and color chart.

3/16/59

554 TYPE TELEPHONES

(WALL TYPE)

Manual telephones

CODE NO.	REMARKS & SPECIAL FEATURES	RINGER	HANDSET	CKT. DRG.	ASSEM. DRG.
55400(BA)00N	Ringer volume control.	130(BA)470	6500(C)410	21531	201460
554**(BA)02N	Ringer volume control. Coiled cord.	"	65**(C2)410	"	"

** - Available in full line of colors. See page "A" for color coding procedure and color chart.

554 TYPE TELEPHONES

(WALL TYPE)

Dial telephones less ringer.

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	DIAL	HANDSET	CKT. DRG.	ASSEM. DRG.
55400(LR)00D		1900(G)450	6500(C)410	21531	201460
554**(LR)02D	Coiled cord.	19**(G)450	65**(C2)410	"	"
55400(LR)03D	1- 79467 terminal board assembly, 1-79468 mounting plate. Used with dial "9" intercom system.	1900(D)450	6500(C)410	21569	"
554**(LR)04D	Coiled cord, 1-79467 terminal board assembly, 1-79468 mounting plate. Used with dial "9" intercom system.	19**(D)450	65**(C2)410	"	"

Manual telephones less ringer.

55400(LR)CON		-	6500(C)410	21531	201460
554**(LR)02N	Coiled cord.	-	65**(C2)410	"	"

** - Available in full line of colors. See Page "A" for color coding procedure and color chart.

554 TYPE TELEPHONES

(WALL TYPE)

Dial telephones.

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	DIAL	RINGER	HANDSET	CKT. DRG.	ASSEM. DRG.
55400(HA1 to 5)00D	Ringer volume control.	1900(G)450	131(HA1 to 5)470	6500(C)410	21531	201460
554**(HA1 to 5)02D	Ringer volume control. Coiled cord.	19**(G)450	"	65**(C2)410	"	"
55400(HA1 to 5)03D		1900(G)450	133(HA1 to 5)470	6500(C)410	"	"
554**(HA1 to 5)05D	Indent. on Base "Property of Puerto Rico Tel. Co." Tropicalized. Ringer Vol. Control. Coiled cord.	19**(D)450	131(HA1 to 5)470	65**(C2)410	21533	201460
554**(HA1 to 5)06D	Coiled cord.	19**(G)450	133(HA1 to 5)470	65**(C2)410	21531	201460

** - Available in full line of colors. See page "A" for color coding procedure and color chart.

3/16/59

PAGE 25

554 TYPE TELEPHONES

(WALL TYPE)

Manual telephones

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	RINGER	HANDSET	CKT. DRG.	ASSEM. DRG.
55400(HA1 to 5)00N	Ringer volume control.	131(HA1 to 5)470	6500(C)410	21531	201460
554**(HA1 to 5)02N	Ringer volume control. Coiled cord.	"	65**(C2)410	"	"
55400(HA1 to 5)03N		133(HA1 to 5)470	6500(C)410	"	"
554 **(HA1 to 5)06N	Coiled cord.	133(HA1 to 5)470	65**(C2)410	21531	201460

** - Available in full line of colors. See page "A" for color coding procedure and color chart.

3/16/59

554 TYPE TELEPHONES

(WALL TYPE)

Dial telephones.

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	DIAL	RINGER	HANDSET	CKT. DRG.	ASSEM. DRG.
55400(HB1 to 5)00D	Ringer volume control.	1900(G)450	131(HB1 to 5)470	6500(C)410	21531	201460
554**(HB1 to 5)02D	Ringer volume control. Coiled cord.	19**(G)450	"	65**(C2)410	"	"
55400(HB1 to 5)03D		1900(G)450	133(HB1 to 5)470	6500(C)410	"	"
554**(HB1 to 5)05D	Indent. on Base "Property of Puerto Rico Tel. Co." Tropicalized. Ringer Volume Control. Coiled Cord.	19**(D)450	131(HB1 to 5) 470	65**(C2)410	21533	201460
554**(HB1 to 5)06D	Coiled cord.	19**(G)450	133(HB1 to 5)470	65**(C2)410	21531	201460

** - Available in full line of colors. See page "A" for color coding procedure and color chart.

PAGE 27

554 TYPE TELEPHONES

(WALL TYPE)

Manual telephones.

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	RINGER	HANDSET	CKT. DRG.	ASSEM. DRG.
55400(HB1 to 5)00N	Ringer volume control.	131(HC1 to 5)470	6500(C)410	21531	201460
554**(HB1 to 5)02N	Ringer volume control. Coiled cord.	"	65**(C2)410	"	"
55400(HB1 to 5)03N		133(HC1 to 5)470	6500(C)410	"	"
554**(HB1 to 5)06N	Coiled cord.	133(HC1 to 5)470	65**(C2)410	21531	201460

** - Available in full line of colors. See page "A" for color coding procedure and color chart.

3/16/59

554 TYPE TELEPHONES

(WALL TYPE)

Dial telephones.

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	DIAL	RINGER	HANDSET	CKT. DRG.	ASSEM. DRG.
55400(HC1 to 5)00D	Ringer volume control.	1900(G)450	131(HC1 to 5)470	6500(C)410	21531	201460
554**(HC1 to 5)02D	Ringer volume control. Coiled cord.	19**(G)450	"	65**(C2)410	"	"
55400(HC1 to 5)03D		1900(G)450	133(HC1 to 5)470	6500(C)410	"	"
554**(HC1 to 5)05D	Indent. on Base "Property of Puerto Rico Tel. Co." Tropicalized. Ringer Volume Control. Coiled cord.	19**(D)450	131(HC1 to 5)470	65**(C2)410	21533	201460
554**(HC1 to 5)06D	Coiled cord.	19**(G)450	133(HC1 to 5)470	65**(C2)410	21531	201460

** - Available in full line of colors. See page "A" for color coding procedure and color chart.

PAGE 29

554 TYPE TELEPHONES

(WALL TYPE)

Manual telephones.

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	RINGER	HANDSET	CKT. DRG.	ASSEM. DRG.
55400(HC1 to 5)00N	Ringer volume control.	131(HC1 to 5)470	6500(C)410	21531	201160
554**(HC1 to 5)02N	Ringer volume control. Coiled cord.	"	65**(C2)410	"	"
55400(HC1 to 5)03N		133(HC1 to 5)470	6500(C)410	"	"
55400(HC1 to 5)04N	Indent. on base "Property of Puerto Rico Tel. Co." Tropicalized.	"	"	21533	"
554**(HC1 to 5)06N	Coiled cord.	133(HC1 to 5)470	65**(C2)410	21531	201160

** - Available in full line of colors. See page "A" for color coding procedure and color chart.

591 TYPE TELEPHONES

(DESK TYPE)

Dial telephones less ringer.

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	DIAL	DESK STAND CORD.	HANDSET	CKT. DRG.	ASSEM. DRG.
59100(LR)00D	3-cond. desk stand cord.	1900(G)450	303100(06)650	6500(C)410	21531	200708
591**(LR)02D	3-cond. desk stand cord. Coiled cord.	19**(G)450	3031**(06)650	65**(C2)410	"	"
59100(LR)03D	3-cond. desk stand cord. Lift-to-talk.	1900(G)450	303100(06)650	6500(C)410	21551	201571
59100(LR)04D	1- 79467 term. board assem. 1- 79468 mounting plate. Used with dial 9 intercom system.	1900(G)450	303800(13)650	6500(C)410	21569	201571
591**(LR)05D	1- 79467 term. board assem. 1- 79468 mounting plate. Coiled cord. Used with dial 9 intercom system.	19**(G)450	3038**(13)650	65**(C2)410	"	"
591**(LR)11D	Dial light, night light. Coiled cord.	1900(1G)450 19**(G)450	3038**(13)650	65**(C2)410	21574 21575	201893

** - Available in full line of colors. See page "A" for color coding procedure and color chart.

3/16/59

PAGE 31

591 TYPE TELEPHONES

(DESK TYPE)

Manual telephones less ringer.

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM. DRG.
59100(LR)00N	3-cond. desk stand cord.	303100(06)650	6500(C)410	21531	200708
591**(LR)02N	3-cond. desk stand cord. Coiled cord.	3031**(06)650	65**(C2)410	"	"
59100(LR)03N	3-cond. desk stand cord. Lift-to-talk.	303100(06)650	6500(C)410	21551	201571
591**(LR)11N	Night light. Coiled cord.	3038**(13)650	65**(C2)410	21574 21575	201893

** - Available in full line of colors. See page "A" for color coding procedure and color chart.

3/16/59

530 & 531 TYPE SELECT-O-PHONES

(DESK TYPE)

Dial Select-O-Phones.

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	DIAL	BELL	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM. DRG.
530**(B)02D	4-conductor desk stand cord. P-79857 push key assembly. Coiled cord. No. 28** () 783 connecting rack.	22**(D)450	8(A)792	3045**(10)650	65**(C2)410	21553	201951
530**(B)03D	5-conductor desk stand cord. 12(E)793 Buzzer . Coiled cord.	"	"	3048**(03)650	"	21573	"

Dial Extension Select-O-Phones

531**(B)02D	5-conductor desk stand cord. P-79857 push key assembly. Coiled cord. No. 29()783 connecting rack.	22**(D)450	8(A)792	3046**(10)650	65**(C2)410	21552	201951

** - Available in full line of colors. See page "A" for color coding procedure and color chart.

PAGE 33

550 & 551 TYPE SELECT-O-PHONES

(WALL TYPE)

Dial telephones.

See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	DIAL	BELL	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM. DRG.
550**(B)02D	P-79857 push key assembly. Coiled cord.	22**(D)450	8(A)792	-	65**(C2)410	21553	201952
550**(B)03D	4-conductor desk stand cord. P-79857 push key assembly. Coiled cord. No. 28**()783 connecting rack.	"	"	3045**(10)650	"	"	"

Dial Extension telephones.

551**(B)02D	P-79857 push key assembly. Coiled cord.	22**(D)450	8(A)792	-	65**(C2)410	21552	201952
551**(B)03D	5-conductor desk stand cord. P-79857 push key assembly. Coiled cord. No. 29()783 connecting rack.	"	"	3046**(10)650	"	"	"

** - Available in full line of colors. See page "A" for color coding procedure and color chart.

544. TYPE TELEPHONES

(DESK TYPE)

Dial telephones. For use with K-1A1 Key Telephone System only. See index page 1 for stocklist drg. no.							
CODE NO.	REMARKS & SPECIAL FEATURES	DIAL	RINGER	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM. DRG.
54400(BA)00D	Key system tel. K588(B)740 key. 19-cond. desk stand cord. P-79523 lamp strip assembly. Ringer volume control.	1900(G)450	130(BA)470	83900(09)650	6500(G)410	21544	201521
544**(BA)02D	Key system tel. K588(B)740 key. 19-cond. desk stand cord. P-79523 lamp strip assembly. Coiled cord. Ringer volume control.	19**(G)450	"	*	65**(G2)410	"	"
54400(BA)03D	Key system tel. K588(B)740 key. 19-cond. desk stand cord. P-79523 lamp strip assembly. Indent on base "Property of Porto Rico Tel. Co." Tropicalized. Ringer volume control.	1900(D)450	"	83900(09)650	6500(G)410	21565	"
544**(BA)04D	Key system tel. K588(B)740 key. 19-cond. desk stand cord. P-79523 lamp strip assem. Indent on base "Property of Cuban Tel. Co." in Spanish. Coiled cord. Ringer volume control.	19**(D)450	"	*	65**(G2)410	"	"
54400(BA)05D	Same as 54400(BA)00D except 19(D)450 dial.	1900(D)450	"	83900(09)650	6500(G)410	21544	"
544**(BA)06D	Same as 54400(BA)03D but with coiled cord.	19**(D)450	"	*	65**(G2)410	21565	"
544**(BA)07D	Key system tel. K588(B)740 key. 19-cond. desk stand cord. P-79523 lamp strip assem. Coiled cord. Ringer volume control.	"	"	*	"	21544	"

* = Use 83900(09)650 for black telephones & 83908(09)650 (gray) for colored telephones.

** = Available in full line of colors. See page "A" for color coding procedure and color chart.

544 TYPE TELEPHONES

(DESK TYPE)

Manual telephones. For use with K-1A1 Key Telephone System only. See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	RINGER	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM. DRG.
54400(BA)00N	Key system tel. K588(B)740 key. 19-cond. desk stand cord. P-79523 lamp strip assembly. Ringer volume control.	130(BA)470	83900(09)650	6500(C)410	21544	201521
544**(BA)02N	Key system tel. K588(B)740 key. 19-cond. desk stand cord. P-79523 lamp strip assembly. Coiled cord. Ringer volume control.	"	*	65**(G2)410	"	"
54400(BA)03N	Key system tel. K588(B)740 key. 19-cond. desk stand cord. P-79523 lamp strip assem. Indent on base "Property of Porto Rico Tel. Co." Tropicalized. Ringer volume control.	"	83900(09)650	6500(C)410	21565	"
544**(BA)04N	Key system tel. K588(B)740 key. 19-cond. desk stand cord. P-79523 lamp strip assem. Indent on base "Property of Cuban Tel. Co." in Spanish. Coiled cord. Ringer volume control.	"	*	65**(G2)410	"	"
544**(BA)06N	Same as 54400(BA)03N but with coiled cord.	130(BA)470	*	65**(G2)410	21565	201521

* = Use 83900(09)650 for black telephones & 83908(09)650 (gray) for colored telephones.

** = Available in full line of colors. See page "A" for color coding procedure and color chart.

544 TYPE TELEPHONES

(DESK TYPE)

Dial telephones less ringer. For use with K-1A1 Key Telephone System only. See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	DIAL	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM. DRG.
54400(IR)00D	Key system tel. K588(B)740 key. 19-cond. desk stand cord. P-79523 lamp strip assem.	1900(G)450	83900(09)650	6500(C)410	21544	201521
544**(IR)02D	Key system tel. K588(B)740 key. 19-cond. desk stand cord. P-79523 lamp strip assem. Coiled cord.	19**(G)450	*	65**(C2)410	"	"
54400(IR)03D	Key system tel. K588(B)740 key. 19-cond. desk stand cord. P-79523 lamp strip assem. Indent. on base "Property of Porto Rico Tel. Co." Tropicalized.	1900(D)450	83900(09)650	6500(C)410	21565	"
544**(IR)04D	Key system tel. K588(B)740 key. 19-cond. desk stand cord. P-79523 lamp strip assem. Indent. on base "Property of Cuban Tel. Co." in Spanish. Coiled cord.	19**(D)450	*	65**(C2)410	"	"
54400(IR)05D	Same as 54400(IR)00D except 1900(D)450 dial.	1900(D)450	83900(09)650	6500(C)410	21544	"
544**(IR)06D	Same as 54400(IR)03D but with coiled cord.	19**(D)450	*	65**(C2)410	21565	"
544**(IR)07D	Key system tel. K588(B)740 key. 19-cond. desk stand cord. P-79523 lamp strip assem. Coiled cord.	"	*	"	21544	"

* = Use 83900(09)650 for black telephones & 83908(09)650 (gray) for colored telephones.

** = Available in full line of colors. See page "A" for color coding procedure and color chart.

544 TYPE TELEPHONES

(DESK TYPE)

Manual telephones less ringer. For use with K-1A1 Key Telephone System only. See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM. DRG.
54400(IR)00N	Key system tel. K588(B)740 key. 19-cond. desk stand cord. P-79523 lamp strip assembly.	83900(09)650	6500(C)410	21544	201521
544**(IR)02N	Key system tel. K588(B)740 key. 19-cond. desk stand cord. P-79523 lamp strip assembly. Coiled cord.	*	65**(C2)410	"	"
54400(IR)03N	Key system tel. K588(B)740 key. 19-cond. desk stand cord. P-79523 lamp strip assem. Indent on base "Property of Porto Rico Tel. Co." Tropicalized	83900(09)650	6500(C)410	21565	"
544**(IR)04N	Key system tel. K588(B)740 key. 19-cond. desk stand cord. P-79523 lamp strip assem. Indent. on base "Property of Cuban Tel. Co." in Spanish. Coiled cord.	*	65**(C2)410	"	"
544**(IR)06N	Same as 54400(IR)03N but with coiled cord.	*	65**(C2)410	21565	201521

* = Use 83900(09)650 for black telephones & 83908(09)650 (gray) for colored telephones.

** = Available in full line of colors. See page "A" for color coding procedure and color chart.

564 TYPE TELEPHONES

(DESK TYPE)

Dial telephones. For use with K-1A1 Key Telephone System only. See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	DIAL	RINGER	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM. DRG.
56400(BA)00D	Key system tel. K589(B)740 key. 34-cond. desk stand cord. Lamp strip assembly. P-79524. Ringer volume control.	1900(G)450	130(BA)470	84000(09)650	6500(C)410	21545	201521
564**(BA)02D	Key system tel. K589(B)740 key. 34-cond. desk stand cord. Lamp strip assembly. P-79524. Coiled cord. Ringer volume control.	19**(G)450	"	*	65**(C2)410	"	"
56400(BA)03D	Key system tel. K589(B)740 key. 34-cond. desk stand cord. Lamp strip assembly. P-79524. Ringer volume control. Indent. on base "Property of Porto Rico Tel. Co." Tropicalized.	1900(D)450	"	84000(09)650	6500(C)410	21566	"
564**(BA)04D	Key system tel. K589(B)740 key. 34-cond. desk stand cord. Lamp strip assembly. P-79524. Ringer volume control. Indent. on base "Property of Cuban Tel. Co." in Spanish. Coiled cord.	19**(D)450	"	*	65**(C2)410	"	"
56400(BA)05D	Same as 56400(BA)00D except 1900(D)450 dial.	1900(D)450	"	84000(09)650	6500(C)410	21545	"
564**(BA)06D	Same as 56400(BA)03D but with coiled cord.	19**(D)450	"	*	65**(C2)410	21566	"
564**(BA)07D	Key system tel. K589(B)740 key. 34-cond. desk stand cord. Lamp strip assembly. P-79524. Ringer volume control. Coiled cord.	"	"	*	"	21545	"

* = Use 84000(09)650 for black telephones & 84008(09)650 (gray) for colored telephones.

** = Available in full line of colors. See page "A" for color coding procedure and color chart.

564 TYPE TELEPHONES

(DESK TYPE)

Manual telephones. For use with K-1A1 Key Telephone System only. See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	RINGER	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM. DRG.
56400(BA)00N	Key system tel. K589(B)740 key. 34-cond. desk stand cord. P-79524 lamp strip assembly. Ringer volume control.	130(BA)470	84000(09)650	6500(C)410	21545	201521
564**(BA)02N	Key system tel. K589(B)740 key. 34-cond. desk stand cord. P-79524 lamp strip assembly. Ringer volume control. Coiled cord.	"	*	65**(C2)410	"	"
56400(BA)03N	Key system tel. K589(B)740 key. 34-cond. desk stand cord. P-79524 lamp strip assembly. Ringer volume control. Indent. on base "Property of Porto Rico Tel. Co." Tropicalized.	"	84000(09)650	6500(C)410	21566	"
564**(BA)04N	Key system tel. K589(B)740 key. 34-cond. desk stand cord. P-79524 lamp strip assembly. Ringer volume control. Indent. on base "Property of Cuban Tel. Co." in Spanish. Coiled cord.	"	*	65**(C2)410	"	"
564**(BA)06N	Same as 56400(BA)03N but with coiled cord.	130(BA)470	*	65**(C2)410	21566	201521

* = Use 84000(09)650 for black telephones & 84008(09)650 (gray) for colored telephones.

** = Available in full line of colors. See page "A" for color coding procedure and color chart.

564 TYPE TELEPHONES

(DESK TYPE)

Dial telephones less ringer. For use with K-1A1 Key Telephone System only. See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	DIAL	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM. DRG.
56400(IR)00D	Key system tel. K589(B)740 key. 34-cond. desk stand cord. P-79524 lamp strip assembly.	1900(G)450	84000(09)650	6500(C)410	21545	201521
564**(IR)02D	Key system tel. K589(B)740 key. 34-cond. desk stand cord. P-79524 lamp strip assembly. Coiled cord.	19**(G)450	*	65**(C2)410	"	"
56400(IR)03D	Key system tel. K589(B)740 key. 34-cond. desk stand cord. P-79524 lamp strip assem. Indent. on base "property of Porto Rico Tel. Co." Tropicalized.	1900(D)450	84000(09)650	6500(C)410	21566	"
564**(IR)04D	Key system tel. K589(B)740 key. 34-cond. desk stand cord. P-79524 lamp strip assem. Indent. on base "Property of Cuban Tel. Co." in Spanish. Coiled cord.	19**(D)450	*	65**(C2)410	"	"
56400(IR)05D	Same as 56400(IR)00D except 1900(D)450 dial.	1900(D)450	84000(09)650	6500(C)410	21545	"
564**(IR)06D	Same as 56400(IR)03D but with coiled cord.	19**(D)450	*	65**(C2)410	21566	"
564**(IR)07D	Key system tel. K589(B)740 key. 34-cond. desk stand cord. P-79524 lamp strip assem. Coiled cord.	"	*	"	21545	"

* = Use 84000(09)650 for black telephones & 84008(09)650 (gray) for colored telephones.

** = Available in full line of colors. See page "A" for color coding procedure and color chart.

564. TYPE TELEPHONES

(DESK TYPE)

Manual telephones less ringer. For use with K-1A1 Key Telephone System only. See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM. DRG.
56400(IR)00N	Key system tel. K589(B)740 key. 34-cond. desk stand cord. P-79524 lamp strip assembly.	84000(09)650	6500(C)410	21545	201521
564**(IR)02N	Key system tel. K589(B)740 key. 34-cond. desk stand cord. P-79524 lamp strip assembly. Coiled cord.	*	65**(C2)410	"	"
56400(IR)03N	Key system tel. K589(B)740 key. 34-cond. desk stand cord. P-79524 lamp strip assembly. Indent. on base "Property of Porto Rico Tel. Co." Tropicalized	84000(09)650	6500(C)410	21566	"
564**(IR)04N	Key system tel. K589(B)740 key. 34-cond. desk stand cord. P-79524 lamp strip assembly. Indent. on base "Property of Cuban Tel. Co." in Spanish. Coiled cord.	*	65**(C2)410	"	"
564**(IR)06N	Same as 56400(IR)03N but with coiled cord.	84000(09)650	65**(C2)410	21566	201521

* = Use 84000(09)650 for black telephones & 84008(09)650 (gray) for colored telephones.

** = Available in full line of colors. See page "A" for color coding procedure and color chart.

565 TYPE TELEPHONES

(DESK TYPE)

Dial telephones. For use with K-1A1 Key Telephone System only. See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	DIAL	RINGER	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM. ORG.
56500(BA)00D	Key system tel. K589(B)740 key. 34-cond. desk stand cord. P-79524 lamp strip assembly. Exclusion switch. Ringer volume control.	1900(G)450	130(BA)470	84000(09)650	6500(C)410	21554	202033
565**(BA)02D	Key system tel. K589(B)740 key. 34-cond. desk stand cord. P-79524 lamp strip assembly. Exclusion switch. Ringer volume control. Coiled cord.	19**(G)450	"	*	65**(C2)410	"	"
56500(BA)03D	Key system tel. K589(B)740 key. 34-cond. desk stand cord. P-79524 lamp strip assembly. Exclusion switch. Ringer volume control. Indent. on base "Property of Porto Rico Tel. Co." Tropicalized.	1900(D)450	"	84000(09)650	6500(C)410	21567	"
565**(BA)04D	Key System tel. K589(B)740 key. 34-cond. desk stand cord. P-79524 lamp strip assembly. Exclusion switch. Indent. on base "Property of Cuban Tel. Co." in Spanish. Coiled cord. Ringer volume control.	19**(D)450	"	*	65**(C2)410	"	"
565**(BA)06D	Same as 56500(BA)03D but with coiled cord.	19**(D)450	130(BA)470	*	65**(C2)410	21567	202033

* = Use 84000(09)650 for black telephones & 84008(09)650 (gray) for colored telephones.
 ** = Available in full line of colors. See page "A" for color coding procedure and color chart.

565 TYPE TELEPHONES

(DESK TYPE)

Manual telephones. For use with K-1A1 Key Telephone System only. See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	RINGER	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM. DRG.
56500(BA)00N	Key system tel. K589(B)740 key. 34-cond. desk stand cord. P-79524 lamp strip assembly. Exclusion switch. Ringer volume control.	130(BA)470	84000(09)650	6500(C)410	21554	202033
565**(BA)02N	Key system tel. K589(B)740 key. 34-cond. desk stand cord. P-79524 lamp strip assembly. Exclusion switch. Ringer volume control. Coiled cord.	"	*	65**(C2)410	"	"
56500(BA)03N	Key system tel. K589(B)740 key. 34-cond. desk stand cord. P-79524 lamp strip assembly. Exclusion switch. Ringer volume control. Indent. on base "Property of Porto Rico Tel. Co." Tropicalized.	"	8400(09)650	6500(C)410	21567	"
565**(BA)04N	Key system tel. K589(B)740 key. 34-cond. desk stand cord. P-79524 lamp strip assembly. Exclusion switch. Indent. on base "Property of Cuban Tel. Co." in Spanish. Coiled cord. Ringer volume control.	"	*	65**(C2)410	"	"
565**(BA)06N	Same as 56500(BA)03N but with coiled cord.	130(BA)470	*	65**(C2)410	21567	202033

* = Use 84000(09)650 for black telephones & 84008(09)650 (gray) for colored telephones.

** = Available in full line of colors. See page "A" for color coding procedure and color chart.

565 TYPE TELEPHONES

(DESK TYPE)

Dial telephones less ringer. For use with K-1A1 Key Telephone System only. See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	DIAL	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM. DRG.
56500(IR)00D	Key system tel. K589(B)740 Key. 34-cond. desk stand cord. P-79524 lamp strip assem. Exclusion switch.	1900(G)450	84000(09)650	6500(C)410	21554	202033
565**(IR)02D	Key system tel. K589(B)740 key. 34-cond. desk stand cord. P-79524 lamp strip assem. Exclusion switch. Coiled cord.	19**(G)450	*	65**(C2)410	"	"
56500(IR)03D	Key system tel. K589(B)740 Key. 34-cond. desk stand cord. P-79524 lamp strip assem. Exclusion switch. Indent. on base "Property of Porto Rico Tel. Co." Tropicalized. Coiled cord.	1900(D)450	84000(09)650	6500(C)410	21567	"
565**(IR)04D	Key system tel. K589(B)740 key. 34-cond. desk stand cord. P-79524 lamp strip assem. Exclusion switch. Indent. on base "Property of Cuban Tel. Co." in Spanish. Coiled cord.	19**(D)450	*	65**(C2)410	"	"
565**(IR)06D	Key system tel. Same as 56500(IR)03D but with coiled cord.	19**(D)450	*	65**(C2)410	21567	202033

* = Use 84000(09)650 for black telephones & 84008(09)650 (gray) for colored telephones.

** = Available in full line of colors. See page "A" for color coding procedure and color chart.

565 TYPE TELEPHONES

(DESK TYPE)

Manual telephones less ringer. For use with K-1A1 Key Telephone System only. See index page 1 for stocklist drg. no.

CODE NO.	REMARKS & SPECIAL FEATURES	DESK STAND CORD	HANDSET	CKT. DRG.	ASSEM. DRG.
56500(IR)00N	Key system tel. K589(B)740 key. 34-cond. desk stand cord. P-79524 lamp strip assem. Exclusion switch.	84000(09)650	6500(C)410	21554	202033
565**(IR)02N	Key system tel. K589(B)740 key. 34-cond. desk stand cord. P-79524 lamp strip assem. Exclusion switch. Coiled cord.	*	65**(C2)410	"	"
56500(IR)03N	Key system tel. K589(B)740 key. 34-cond. desk stand cord. P-79524 lamp strip assem. Exclusion switch. Indent. on base "Property of Porto Rico Tel. Co." Tropicalized. Coiled cord.	84000(09)650	6500(C)410	21567	"
565**(IR)04N	Key system tel. K589(B)740 key. 34-cond. desk stand cord. P-79524 lamp strip assem. Exclusion switch. Indent. on base "Property of Cuban Tel. Co." in Spanish. Coiled cord.	*	65**(C2)410	"	"
565**(IR)06N	Same as 56500(IR)03N but with coiled cord.	*	65**(C2)410	21567	202033

* = Use 84000(09)650 for black telephones & 84008(09)650 (gray) for colored telephones.

** = Available in full line of colors. See page "A" for color coding procedure and color chart.

575 TYPE TELEPHONES

(Desk Type)

Dial Telephones - Two Line Pickup & Hold

See index page 1 for stocklist drg. no.

Code No.	Remarks & Special Features	Dial	Ringer	Desk Stand Cord	Handset	Okt. Drg.	Assem. Drg.
57500(BA)00D	Ringer Volume Control.	1900(G)450	130(BA)470	303800(13)650	6500(C)410	21572	202753
575**(BA)02D	" " " Coiled cord.	19**(G)450	"	3038**(13)650	65**(C2)410	"	"
57500(BA)03D	6 Conductor Desk Stand Cord.	1900(G)450	"	304400(14)650	6500(C)410	"	"
575**(BA)04D	Ringer Volume Control. Coiled cord. 6 Conductor Desk Stand Cord.	19**(G)450	"	"	65**(C2)410	"	"

Manual Telephones - Two Line Pickup & Hold

57500(BA)00N	Ringer Volume Control.		130(BA)470	303800(13)650	6500(C)410	21572	202753
575**(BA)02N	" " " Coiled cord.		"	3038**(13)650	65**(C2)410	"	"
57500(BA)03N	6 Conductor Desk Stand Cord.		"	304400(14)650	6500(C)410	"	"
575**(BA)04N	Ringer Volume Control. Coiled Cord. 6 Conductor Desk Stand Cord.		"	"	65**(C2)410	"	"

** = Available in all colors. See Page "A" for color coding procedure and color chart.

3/16/59

Page 47

575 TYPE TELEPHONES

(Desk Type)

Dial Telephones - Two Line Pickup & Hold

See index page 1 for stocklist drg. no.

Code No.	Remarks & Special Features	Dial	Ringer	Desk Stand Cord	Handset	Ckt. Drg.	Assem. Drg.
57500(HA 1to5)00D	Ringer Volume Control.	1900(G)450	E131(HA 1,2,3)470 & 131(HA 4,5)470	303800(13)650	6500(C)410	21571	202753
575**(HA 1to5)02D	Coiled cord.	19**(G)450	"	3038**(13)650	65**(C2)410	"	"
57500(HA 1to5)03D	Ringer Volume Control. 6 Cond. Desk Stand Cord.	1900(G)450	"	304400(14)650	6500(C)410	"	"
575**(HA 1to5)04D	Ringer Vol. Control. Coiled Cord. 6 Cond. D.S. cord.	19**(G)450	"	"	65**(C2)410	"	"
57500(HA 1to5)05D		1900(G)450	E133(HA 1,2,3,)470 & 133(HA 4,5)470	303800(13)650	6500(C)410	"	"
575**(HA 1to5)06D	Coiled cord.	19**(G)450	"	3038**(13)650	65**(C2)410	"	"
57500(HA 1to5)07D	6 Cond. Desk Stand Cord	1900(G)450	"	304400(14)650	6500(C)410	"	"
575**(H A 1to5)08D	" " " " " " " " " " " " coiled cord.	19**(G)450	"	"	65**(C2)410	"	"

** - Available in all colors. See Page "A" for color coding procedure and color chart.

575 TYPE TELEPHONES

(Desk Type)

Manual Telephones - Two Line Pickup & Hold

See index page 1 for stocklist drg. no.

Code No.	Remarks & Special Features	Ringer	Desk Stand Cord	Handset	Ckt. drg.	Assem. Drg.
57500(HA 1to5)00N	Ringer Volume Control.	E131(HA1,2,3)470 & 131(HA 4,5)470	303800(13)650	6500(C)410	21571	202753
575**(HA 1to5)02N	" " " Coiled Cord.	"	3038**(13)650	65**(C2)410	"	"
57500(HA 1to5)03N	6 Conductor Desk Stand Cord.	"	304400(14)650	6500(C)410	"	"
575**(HA 1to5)04N	Ringer Volume Control. Coiled Cord. 6 Conductor Desk Stand Cord.	"	"	65**(C2)410	"	"
57500(HA 1to5)05N		E133(HA 1, 2, 3)470 & 133(HA 4, 5)470	303800(13)650	6500(C)410	"	"
575**(HA 1to5)06N	Coiled Cord	"	3038**(13)650	65**(C2)410	"	"
57500(HA 1to5)07N	6 Conductor Desk Stand Cord.	"	304400(14)650	6500(C)410	"	"
575**(HA 1to5)08N	" " " " " Coiled cord.	"	"	65**(C2)410	"	"

** - Available in all colors. See page "A" for color coding procedure and color chart.

3/16/59

Page 49

575 TYPE TELEPHONES

(Desk Type)

Dial Telephones - Two Line Pickup & Hold

See index page 1 for stocklist drg. no.

Code No.	Remarks & Special Features	Dial	Ringer	Desk Stand Cord	Handset	Ckt. Drg.	Assem. Drg.
57500(HB 1to5)00D	Ringer Volume Control.	1900(G)450	131(HB 1,5)470& E131(HB2,3,4)470	303800(13)650	6500(C)410	21571	202753
575**(HB1 to5)02D	Coiled Cord.	19**(G)450	"	3038**(13)650	65**(C2)410	"	"
57500(HB 1to5)03D	Ringer Volume Control. 6 Cond. Desk Stand Cord.	1900(G)450	"	304400(14)650	6500(C)410	"	"
575**(HB 1to5)04D	Ringer Volume Control. Coiled cord. 6 Cond. D.S. Cord.	19**(G)450	"	"	65**(C2)410	"	"
57500(HB 1to5)05D		1900(G)450	133(HB 1,5)470& E133(HB2,3,4)470	303800(13)650	6500(C)410	"	"
575**(HB 1to5)06D	Coiled Cord	19**(G)450	"	3038**(13)650	65**(C2)410	"	"
57500(HB 1to5)07D	6 Cond. Desk Stand cord.	1900(G)450	"	304400(14)650	6500(C)410	"	"
575**(HB 1to5)08D	Coiled cord.	19**(G)450	"	"	65**(C2)410	"	"

** - Available in all colors. See page "A" for color coding procedure and color chart.

575 TYPE TELEPHONES

(Desk Type)

Manual Telephones - Two Line Pickup & Hold

See index page 1 for stocklist drg. no.

Code No.	Remarks & Special Features	Ringer	Desk Stand Cord	Handset	Ckt. Drg.	Assem. Drg.
57500(HB 1to5)00N	Ringer Volume Control.	131(HB 1,5)470 & E131(HB2,3,4)470	303800(13)650	6500(C)410	21571	202753
575**(HB 1to5)02N	" " " Coiled Cord.	"	3038**(13)650	65**(C2)410	"	"
57500(HB 1to5)03N	6 Conductor Desk Stand Cord.	"	304400(14)650	6500(C)410	"	"
575**(HB 1to5)04N	Ringer Volume Control. Coiled Cord. 6 Conductor Desk Stand Cord.	"	"	65**(C2)410	"	"
57500(HB 1 to 5)05N		133(HB 1,5)470 & E133(HB2,3,4)470	303800(13)650	6500(C)410	"	"
575**(HB 1to5)06N	Coiled Cord	"	3038**(13)650	65**(C2)410	"	"
57500(HB 1to5)07N	6 Conductor Desk Stand Cord.	"	304400(14)650	6500(C)410	"	"
575**(HB 1to5)08N	" " " " " Coiled Cord.	"	"	65**(C2)410	"	"

** - Available in all colors. See page "A" for color coding procedure and color chart.

575 TYPE TELEPHONES

(Desk Type)

Dial Telephones - Two Line Pickup & Hold

See index page 1 for stocklist drg. no.

Code No.	Remarks & Special Features	Dial	Ringer	Desk Stand Cord	Handset	Ckt. Drg.	Assem. Drg.
57500(HC 1to5)00D	Ringer Volume Control	1900(G)450	L31(HC 1,3)470 & E131(HC2,4,5)470	303800(13)650	6500(C)410	21571	202753
575**(HC 1to5)02D	Coiled Cord.	19**(G)450	"	3038**(13)650	65**(C2)410	"	"
57500(HC 1to5)03D	Ringer Volume Control. 6 Cond. Desk Stand Cord.	1900(G)450	"	304400(14)650	6500(C)410	"	"
575**(HC 1to5)04D	Ringer Volume Control.Coiled cord. 6 Cond. D.S. Cord.	19**(G)450	"	"	65**(C2)410	"	"
57500(HC 1to5)05D		1900(G)450	L33(HC 1,3)470 & E133(HC2,4,5)470	303800(13)650	6500(C)410	"	"
575**(HC 1to5)06D	Coiled Cord.	19**(G)450	"	3038**(13)650	65**(C2)410	"	"
57500(HC 1to5)07D	6 Cond. Desk Stand Cord.	1900(G)450	"	304400(14)650	6500(C)410	"	"
575**(HC 1to5)08D	Coiled Cord.	19**(G)450	"	"	65**(C2)410	"	"

** - Available in full line of colors. See page "A" for color coding procedure and color chart.

575 TYPE TELEPHONES

(Desk Type)

Manual Telephones - Two Line Pickup & Hold

See index page 1 for stocklist drg. no.

Code No.	Remarks & Special Features	Ringer	Desk Stand Cord	Handset	Ukt. Drg.	Assem. Drg.
57500(HC 1to5)00N	Ringer Volume Control	131(HC 1,3)470 & E131(HC2,4,5)470	303800(13)650	6500(C)410	21571	202753
575**(HC 1to5)02N	" " " Coiled Cord.	"	3038**(13)650	65**(C2)410	"	"
57500(HC 1to5)03N	6 Conductor Desk Stand Cord.	"	304400(14)650	6500(C)410	"	"
575**(HC 1to5)04N	Ringer Volume Control. Coiled Cord. 6 Conductor Desk Stand Cord.	"	"	65**(C2)410	"	"
57500(HC 1to5)05N		133(HC 1,3)470 & E133(HC2,4,5)470	303800(13)650	6500(C)410	"	"
575**(HC 1to5)06N	Coiled Cord	"	3038**(13)650	65**(C2)410	"	"
57500(HC 1to5)07N	6 Conductor Desk Stand Cord.	"	304400(14)650	6500(C)410	"	"
575**(HC 1to5)08N	" " " " " Coiled Cord.	"	"	65**(C2)410	"	"

** - Available in all colors. See page "A" for color coding procedure and color chart.

3/16/59

Page 53

575 TYPE TELEPHONES

(Desk Type)

Dial Telephones - Two Line Pickup & Hold

See index page 1 for stocklist drg. no.

Code No.	Remarks & Special Features	Dial	Desk Stand Cord	Handset	Ckt. Drg.	Assem. Drg.
57500(LR)00D		1900(G)450	303800(13)650	6500(C)410	21571 & 21572	202753
575**(LR)02D	Coiled cord.	19**(G)450	3038**(13)650	65**(C2)410	"	"
57500(LR)03D	6 Cond. Desk Stand Cord.	1900(G)450	304400(14)650	6500(C)410	"	"
575**(LR)04D	" " " " " coiled cord.	19**(G)450	"	65**(C2)410	"	"

Manual Telephones - Two Line Pickup & Hold

57500(LR)00N			303800(13)650	6500(C)410	21571 & 21572	202753
575**(LR)02N	Coiled Cord.		3038**(13)650	65**(C2)410	"	"
57500(LR)03N	6 Conductor Desk Stand Cord.		304400(14)650	6500(C)410	"	"
575**(LR)04N	" " " " " coiled cord.		"	65**(C2)410	"	"

** = Available in all colors. See page "A" for color coding procedure and color chart.

Page 54